

CORRECTION

Open Access



Correction: Increased volume of cerebral oedema is associated with risk of acute seizure activity and adverse neurological outcomes in encephalitis – regional and volumetric analysis in a multi-centre cohort

Ali M. Alam^{1,2}, Jian P. K. Chen³, Greta K. Wood^{1,2}, Bethany Facer⁴, Maneesh Bhojak⁵, Kumar Das⁵, Sylviane Defres^{1,2,6}, Anthony Marson^{4,7}, Julia Granerod⁸, David Brown⁹, Rhys H. Thomas¹⁰, Simon S. Keller⁴, Tom Solomon^{1,2,7} and Benedict D. Michael^{1,2,7*}

Correction: *BMC Neurol* 22, 412 (2022)
<https://doi.org/10.1186/s12883-022-02926-5>

Following publication of the original article [1], the authors would like to expand the given names for all authors as the current presentation are all in initials. The following are expanded given names:

Ali M. Alam
Jian P. K. Chen
Greta K. Wood
Bethany Facer
Maneesh Bhojak
Kumar Das
Sylviane Defres
Anthony Marson
Julia Granerod
David Brown
Rhys H. Thomas
Simon S. Keller

Tom Solomon
Benedict D. Michael
The original article [1] has been updated.

Author details

¹Department of Clinical Infection Microbiology and Immunology, Institute of Infection, Veterinary, and Ecological Science, University of Liverpool, Liverpool, UK. ²The NIHR Health Protection Research Unit for Emerging and Zoonotic Infection, Liverpool, UK. ³Barts Health NHS Trust, London, UK. ⁴Department of Pharmacology and Therapeutics, Institute of Systems, Molecular and Integrative Biology, University of Liverpool, Liverpool, UK. ⁵Department of Neuroradiology, The Walton Centre NHS Foundation Trust, Liverpool, UK. ⁶Tropical and Infectious Diseases Unit, Liverpool University Hospitals NHS Trust, Liverpool, UK. ⁷Department of Neurology, The Walton Centre NHS Foundation Trust, Liverpool, UK. ⁸Independent Scientific Consultant, formerly of Public Health England, London, UK. ⁹UK Health Security Agency, 61 Colindale Avenue, London, UK. ¹⁰Translational and Clinical Research Institute, Faculty of Medical Sciences, Newcastle University, Newcastle upon Tyne, UK.

Published online: 05 December 2022

Reference

1. Alam AM, Chen JPK, Wood GK, et al. Increased volume of cerebral oedema is associated with risk of acute seizure activity and adverse neurological outcomes in encephalitis – regional and volumetric analysis in a multi-centre cohort. *BMC Neurol*. 2022;22:412. <https://doi.org/10.1186/s12883-022-02926-5>.

The original article can be found online at <https://doi.org/10.1186/s12883-022-02926-5>.

*Correspondence: benmic@liverpool.ac.uk

⁷Department of Neurology, The Walton Centre NHS Foundation Trust, Liverpool, UK

Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.