

SYSTEMATIC REVIEW

# **REVISED** Examining the development and utilisation of

# Community-Based Health Information Systems (CBHIS) in

# Africa: A Scoping Review [version 2; peer review: 3 approved, 1 approved with reservations]

Beatrice Kuvuna<sup>1</sup>, Moriasi Nyanchoka<sup>1</sup>, Fatuma Guleid<sup>1</sup>, Michael Ogutu<sup>2</sup>, Benjamin Tsofa<sup>1</sup>, Jacinta Nzinga<sup>1,3</sup>

V2 First published: 15 Aug 2024, 9:485 https://doi.org/10.12688/wellcomeopenres.22780.1 Latest published: 24 Sep 2024, 9:485

https://doi.org/10.12688/wellcomeopenres.22780.2

#### **Abstract**

# Introduction


The community-based health information system (CBHIS) is a vital component of the community health system, as it assesses community-level healthcare service delivery and generates data for community health programme planning, monitoring, and evaluation. CBHIS promotes data-driven decision-making, by identifying priority interventions and programs, guiding resource allocation, and contributing to evidence-based policy development.

#### **Objective**

This scoping review aims to comprehensively examine the use of CBHIS in African countries, focusing on data generation, pathways, utilization of CBHIS data, community accessibility to the data and use of the data to empower communities.

#### Methods

We utilised Arksey and O'Malley's scoping review methodology. We searched eight databases: PubMed, EMBASE, HINARI, Cochrane Library, Web of Science, Scopus, Google Scholar, and grey literature



<sup>&</sup>lt;sup>1</sup>Health Economics Research Unit, KEMRI-Wellcome Trust Research Programme, Nairobi, Kenya

<sup>&</sup>lt;sup>2</sup>Health Systems and Research Ethics Department, KEMRI-Wellcome Trust Research Programme, Kilifi, Kenya

<sup>&</sup>lt;sup>3</sup>Liverpool School of Tropical Medicine, Liverpool, England, UK

databases (Open Grey and OAIster). We synthesized findings using a thematic approach.

#### **Results**

Our review included 55 articles from 27 African countries, primarily in Eastern and Southern Africa, followed by West Africa. Most of the studies were either quantitative (42%) or qualitative (33%). Paper-based systems are primarily used for data collection in most countries, but some have adopted electronic/mobile-based systems or both. The data flow for CBHIS varies by country and the tools used for data collection. CBHIS data informs policies, resource allocation, staffing, community health dialogues, and commodity supplies for community health programmes. Community dialogue is the most common approach for community engagement, empowerment, and sharing of CBHIS data with communities. Community empowerment tends towards health promotion activities and health provider-led approaches.

#### Conclusion

CBHIS utilizes both paper-based and electronic-based systems to collect and process data. Nevertheless, most countries rely on paper-based systems. Most of the CBHIS investments have focused on its digitization and enhancing data collection, process, and quality. However, there is a need to shift the emphasis towards enabling data utilisation at the community level and community empowerment.

## **Plain Language Summary**

For community health services and systems to work well, health managers and other data users, including policy and decision-makers, need a community-based health information system (CBHIS) that produces reliable and timely information on how well these services are working and that supports the use of CBHIS data to improve community health service delivery. This scoping review aimed to explore the use of CBHIS in African countries. It focused on data generation, pathways, use of CBHIS data, community data access, and use of CBHIS data to empower communities. The review authors collected and analysed all relevant studies to answer this question and found 55 articles from 27 African countries. The review found that most countries use paper-based information systems for data collection, while some have adopted electronic and digital systems. CBHIS also collects information on human resources, medicines, and supply systems. CBHIS data are used to guide policy development, allocate resources, track commodities supplies, staff for community health programmes and organise community health dialogues. Community dialogue is the most common approach for engaging, empowering, and sharing CBHIS data with communities. Community empowerment involves activities that promote health and health provider-led approaches. There is a need to focus on enabling the use

of data at the community level and empowerment.

#### **Keywords**

Community-based health information systems (CBHIS), Community health systems (CHS), Health systems, Data utilisation, data-driven decision-making, Community accessibility, Community empowerment, Africa



This article is included in the KEMRI | Wellcome

Trust gateway.

Corresponding author: Moriasi Nyanchoka (mnyanchoka@kemri-wellcome.org)

Author roles: Kuvuna B: Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Validation, Writing – Original Draft Preparation, Writing – Review & Editing; Nyanchoka M: Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Validation, Writing – Original Draft Preparation, Writing – Review & Editing; Guleid F: Conceptualization, Writing – Review & Editing; Ogutu M: Conceptualization, Writing – Review & Editing; Tsofa B: Conceptualization, Funding Acquisition, Methodology, Project Administration, Supervision, Validation, Writing – Original Draft Preparation, Writing – Review & Editing; Nzinga J: Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Supervision, Validation, Writing – Original Draft Preparation, Writing – Review & Editing

**Competing interests:** No competing interests were disclosed.

**Grant information:** This work was supported by the Bill and Melinda Gates Foundation (grant no. ID OPP1198834) subcontracted to Benjamin Tsofa (Platform Lead, Kenya AHOP NC).

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

**Copyright:** © 2024 Kuvuna B *et al.* This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Kuvuna B, Nyanchoka M, Guleid F *et al.* Examining the development and utilisation of Community-Based Health Information Systems (CBHIS) in Africa: A Scoping Review [version 2; peer review: 3 approved, 1 approved with reservations] Wellcome Open Research 2024, 9:485 https://doi.org/10.12688/wellcomeopenres.22780.2

First published: 15 Aug 2024, 9:485 https://doi.org/10.12688/wellcomeopenres.22780.1

# **REVISED** Amendments from Version 1

We have revised the manuscript based on the reviewer's feedback, corrected the typo, and added missing in-text citations. No major changes were made to the manuscript.

Any further responses from the reviewers can be found at the end of the article

#### Introduction

Community Health Systems (CHS), defined as the interface between community systems and the formal health system, is the most accessible, equitable, cost-effective, and efficient approach to improving access and coverage of health services in a continuum of the primary health care (PHC) system<sup>1</sup>. A strong CHS is critical for delivering accessible, quality, cost-effective preventive and treatment services, including emergency care<sup>2</sup>.

The Astana Declaration on PHC in 2018 fostered a renewed global interest in strengthening CHS in the context of the Universal Health Coverage (UHC) and other Sustainable Development Goals (SDGs). Integrating community health approaches in health systems is now considered paramount<sup>3</sup>, as CHS can help monitor population-level health system performance, track key indicators related to UHC and other health-related SDGs, and enhance the quality of health information<sup>4</sup>. The success of the CHS in handling global crises, such as the Ebola epidemic in West Africa and the COVID-19 pandemic, further emphasizes its importance in providing essential health services at the community level and supporting public health emergency preparedness and response<sup>2</sup>. CHS is thus seen as a crucial aspect of PHC, and its strengthening is essential for achieving UHC and other health-related SDGs<sup>5</sup>.

A community-based health information system (CBHIS) is a vital system that encompasses information about the collection and flow of data, assessment and enhancement of data quality, and utilization of community health data. It is essential for ensuring accurate data collection to support governance and management of CHS and decision-making at local, sub-national, and national levels<sup>4,6,7</sup>. CBHIS data also enable advocacy for vulnerable populations<sup>6</sup>, serve as an early warning alert and response (EWAR) tool, support case management and community health units/posts, enable health trend analyses, and reinforce the communication of health challenges to diverse groups<sup>8</sup>.

The four fundamental functions of CBHISs are data generation, data compilation, analysis and synthesis, and communication and use<sup>8</sup>. CBHISs gather health and other relevant data, ensure its quality, relevance, and timeliness, and transform it into useful information for health-related decision-making. However, the CBHIS requires critical health system inputs, including human resources (community health workers), budgetary allocation, and day-to-day operational management, to function efficiently<sup>4,5,8,9</sup>. Many low- and middle-income countries (LMICs) face challenges in establishing and maintaining CBHIS due to insufficient government funding<sup>4</sup>, leading to significant gaps in community-level health data quality<sup>5,6,10</sup>,

and thus limiting the demand and utilisation of CBHIS in decision-making processes<sup>11</sup>. This underutilization of CBHIS data in decision-making processes can be attributed to fragmented community-based reporting systems<sup>10</sup>, lack of coordination between data producers and users<sup>12,13</sup>, multiple parallel information subsystems<sup>13</sup>, and variations in the decentralization of community health decisions<sup>14</sup>. Furthermore, limited integration of CBHIS with the formal Health Management Information System (HMIS), insufficient funding for the CHS<sup>2,4,6,15</sup>, and contextual factors beyond technical aspects of data processes and organizational aspects impact the use of evidence in the CHS<sup>13,14</sup>.

Although several African countries have embraced digital platforms, most countries (71 %) continue to rely on paper-based systems to collect CBHIS data<sup>1,2</sup>. Several infrastructural constraints, including limited access to cell phones, stable electrical power supplies, and mobile networks, impede the adoption of digital systems<sup>10,13,16–18</sup>. However, some countries, such as Malawi, Zambia, Ghana, and Kenya, have successfully adopted simple feature phones with simple SMS-based reporting systems, enabling real-time data transmission to all healthcare systems<sup>4,19</sup>.

Several African countries have recently invested in enhancing their CHS and strengthening their CBHIS systems<sup>20</sup>. These efforts have included the digitisation of existing CBHIS systems to improve community health programs and work towards providing universal access to PHC services<sup>21</sup>. However, most CBHIS systems in these countries are partner-driven, program-specific, and heavily reliant on donors' and partners' financial and technical support, as evidenced in the Democratic Republic of Congo (DRC), Egypt, Namibia, and Kenya<sup>1,10,17</sup>. As a result, the landscape of CBHIS data is disjointed and fragmented, failing to integrate with the national HMIS<sup>10</sup>.

There are limited reviews on CBHIS in Africa. A review by Mekonnen *et al.*<sup>4</sup> examined the current status and implementation challenges of CBHIS in LMICs-Africa but did not focus on CBHIS data processes, utilisation of CBHIS data on health system decision-making, or community access to CBHIS data and community empowerment. Our review focuses on these aspects of the CBHIS. We aim to address the gap in these aspects and inform efforts to enhance the CHS, ultimately contributing to improved community health service coverage and tracking progress towards UHC and other health-related SDGs.

# Methods

This scoping review adopted the Arksey and O'Malley's Framework<sup>22</sup> to comprehensively examine the development, implementation, and utilization of CBHIS in Africa. This framework guided the methodological processes for our review. We adhered to the Preferred Reporting Items for Systematic Reviews and Meta-Analyses extension for Scoping Reviews (PRISMA-ScR) reporting guidelines<sup>23</sup>. Our review was registered in the Open Science Framework<sup>24</sup>.

#### Eligibility criteria

We selected eligible studies using the Population, Concept, and Context (PCC) framework recommended for scoping reviews.

**Population:** We included primary studies of any study design that examined the CBHIS data sources, processes, pathways, utilisation, and accessibility of its data at the community level, involving community members, community health workers, local actors, and other stakeholders such as policymakers, community-based organizations, and health non-governmental organizations.

Concept: We included studies that explored and discussed various aspects of CBHIS, encompassing experiences in CBHIS development and utilisation, sources of CBHIS data, data generation processes, CBHIS data pathways, utilisation of CBHIS data in informing evidence-based decision-making, community accessibility of the CBHIS data and empowerment.

Context/setting: We included studies conducted in Africa.

We excluded studies on CBHIS conducted in high-income countries, studies published in languages other than English, reviews (systematic, scoping, literature, etc.), conference abstracts, opinions, and editorials on CBHIS.

#### Information sources and search

We developed the search strategy in consultation with a health research librarian. An initial search was conducted in July 2023, and an updated search in November 2023. Seven databases were searched: PubMed, Embase, HINARI, Cochrane Library, Web of Science, Scopus, and Google Scholar. We also searched grey literature on open grey databases and handsearched the references of included studies to identify additional literature. We limited our search to articles published in English between 2000 and 2023. The PubMed search strategy is presented in Additional File 1 (see Extended data, 25).

#### Study selection

We exported references to the EndNoteX7 database, and duplicates were removed. Two independent reviewers performed study selection over two stages: title and abstract review and full-text review against the predefined eligible criteria, using Covidence. All disagreements were resolved by discussion or consulting with authorship team members for a consensus. Studies that met the inclusion criteria were selected for data extraction and charting.

#### Data items and charting

A data extraction and charting form was developed and pilot-tested jointly with the research team to determine which variables to extract (Additional File 2) (see *Extended data*,<sup>25</sup>). We extracted data on the following aspects: general study characteristics; sources of CBHIS data; data generation; pathways through which data is processed; utilisation of CBHIS data; and community accessibility to CBHIS data and empowerment. Data was extracted and exported from Covidence into Microsoft Excel software. One reviewer extracted data, and reviewers independently conducted quality checks of the extracted data. We resolved discrepancies by discussion between authors or consulting senior reviewers for a consensus.

#### Synthesis of results

We synthesized the findings using a thematic approach commonly used in scoping reviews. We followed the PRISMA-ScR reporting guideline to present our findings.

#### Results

#### Selection of sources of evidence

Our search strategy yielded 7,101 records, of which 362 duplicates were excluded. We screened 6,762 titles and abstracts and excluded 6,498 articles. We screened 264 articles and included 55 articles in this review. The PRISMA flow diagram of the selection process and summary of the search results is provided in *Extended data*, <sup>25</sup>.

#### Characteristics of sources of evidence

We synthesized 55 studies from 27 African countries, primarily Eastern and Southern Africa, followed by the West African region. Of these, 52 were research studies, and only three were project/programme reports. Most studies were quantitative (42%), followed by qualitative studies (33%). Table 1 presents the characteristics of the studies, including country, study design, and topical focus. A summary of all key findings is provided in *Extended data*, <sup>25</sup>.

#### Synthesis of results

CBHIS data generation. CHWs are crucial for collecting CBHIS data. Included studies used various titles to describe CHWs based on their cadres and country of origin, including health extension workers (HEWs), community health volunteers (CHVs), community health extension workers (CHEWs), village pioneers, Health Surveillance Assistants (HSAs), community-based health workers (CBHWs), and village health teams (VHTs) (Table 2). This paper uses CHWs as an allencompassing term to cover all these designations for ease of reading and clarity. Table 2 summarises the CBHIS data collectors, standard data collection tools, and type of data collected.

Data collection tools and information collected used by CHWs vary by country and services provided at the community level (Table 2). CHWs commonly use standardized household registers during house visits to collect community data. Other data collection tools included simple wall charts26, CHW Integrated Daily Activity Register/logbooks1, individual health cards<sup>1,27,28</sup>, and surveillance forms<sup>29</sup>. The CHWs typically collect household data, including household demographics, sanitation, housing, health service utilization, and coverage<sup>30-38</sup>. For instance, in DRC and South Africa<sup>39</sup>, CBHIS focused on child health data, whereas in Uganda, Namibia, and Malawi, maternal and child health data were captured<sup>1,27,28</sup>. Sierra Leone's<sup>40</sup>, Nigeria's<sup>41</sup>, and Ghana's<sup>42</sup> CBHIS includes Maternal, Neonatal, and Child Health (MNCH) mortality and morbidity data to inform health service delivery and development of interventions. Some of the CBHIS in Namibia1, Zambia<sup>38</sup>, Mozambique<sup>43</sup>, and South Africa<sup>39,44</sup> collect program-specific data on HIV/AIDS and TB care, malaria data, and households' eligibility for social support.

Table 1. Characteristics of the included studies.

Category	Details	n (%)
Publication Type	Research Articles	52 (95%)
	Project/Programme Reports	3 (5%)
Year of publication	2007–2013	4 (7%)
	2014–2020	35 (64%)
	2021–2023	16 (29%)
Type of Study	Quantitative	23 (42%)
	Qualitative	18 (33%)
	Mixed Methods	4 (7%)
	Project report; Thesis; Project evaluation (3 each)	9 (16%)
	Workshop report	1 (2%)
	Not reported	1 (2%)
Study design	Cross-sectional	15 (27%)
	Qualitative	15 (27%)
	Project evaluation	5 (9%)
	Randomized controlled trial	5 (9%)
	Mixed methods	4 (7%)
	Case study	3 (5%)
	Cohort and Participatory action research (2 each)	4 (7%)
	Phenomenological; Secondary analysis; Assessment report (1 each)	3 (5%)
	Not reported	1 (2%)
Country	Kenya	13 (23%)
	Ethiopia	13 (23%)
	South Africa; Malawi (6 each)	12 (22%)
	Zambia	3 (5%)
	Multi-country (3): • Four countries: DRC, Egypt, Namibia, Mozambique	3 (5%)
	<ul> <li>Seventeen West and Central African countries: Benin, Burkina Faso, Cameroon, Congo, DRC, Gambia, Ghana, Guinea Bissau, Ivory Coast, Liberia, Mali, Niger, Nigeria, Senegal, Sierra Leone, Chad, &amp; Togo</li> </ul>	
	Two countries: Kenya and Malawi	
	Mali, Ghana, Uganda (2 each)	6 (11%)
	Rwanda, Nigeria, Burkina Faso, Sierra Leone, Mozambique (1 each)	5 (9%)
Study setting	Health posts	11 (20%)
	Health facilities	7 (13%)
	Primary care sites/units	3 (5%)
	Community-based organizations (CBOs)	2 (4%)
	Health Centre	2 (4%)
	Health Office; National Health Insurance Pilot District	2 (4%)
	Not reported	28 (51%)
Summary of CBHIS*	Sources of CBHIS data	22 (40%)
	Processes in generating CBHIS data	51 (92%)
	CBHIS data pathways	25 (45%)
	Utilisation of CBHIS data	37 (67%)
	Community involvement and empowerment	17 (31%)

Note: \*some studies report more than one detail

Table 2. Summary of CBHIS data generation processes.

	Data collectors	Data collection tools/templates	Type of data collected at the community level	Data submission
Data generation processes	<ul> <li>Ethiopia (HEWS)</li> <li>Kenya (CHPS)</li> <li>Egypt (Village pioneers-Raedat Refiat (RR))</li> <li>Namibia (HEWS)</li> <li>Uganda (VHTS &amp;CHEWS)</li> <li>DRC/Zambia/South Africa/Nigeria/Rwanda/Sierra Leone/Mali (CHWS)</li> <li>Malawi (HSAS)</li> <li>Burkina Faso (CBHWS)</li> <li>Mozambique (Agentes Polivalentes Elementares (APES))</li> </ul>	Paper-based tools  • Family folder (Ethiopia)  • Household registers (Kenya, Egypt, Rwanda, Malawi)  • CHWs service Logbook (Kenya)  • Simple wall chart templates (Malawi)  • Paper registers (Ghana, DRC, Zambia)  • Forms/papers (Namibia, South Africa& Ghana)  • Surveillance forms (Burkina Faso)  Electronic-based tools  • Mobile phone applications/technologies/ mHealth tools  Other sources of data:  • Individual health records (health cards and integrated maternal and childcare (MCH) cards)  • Assistant chief registers  • Community outreach and meetings  • Birth and death register  • Village register  • Under-five register  • Household survey/visit form  • Community treatment and tracking register  • Referral form	<ul> <li>Health Extension program component data (Ethiopia)</li> <li>Program data related to HIV, TB &amp; Malaria (South Africa, Mozambique &amp; Zambia &amp; Namibia)</li> <li>Child health data element (DRC, South Africa)</li> <li>Maternal and child civil registration data (Nigeria &amp; Ghana)</li> <li>Maternal, Neonatal, and Child Health (MNCH) morbidity &amp; mortality data (Sierra Leone)</li> <li>Maternal and child health services data (Namibia, Malawi &amp; Uganda)</li> <li>Demographic, household sanitation, housing, health service utilization and coverage (commonly collected)</li> <li>Supply chain management data (Kenya &amp; Zambia)</li> </ul>	CHWs supervisors  • Ethiopia (HEW supervisors/ coordinators)  • Kenya (community health assistants/officers (CHAs/ CHOs))  • Egypt (RR supervisors)  • Namibia (CHW supervisors)  • Uganda (Health Centre (HC) III in-charge)  • DRC (HC supervisors)  • South Africa (Outreach Team Leaders/data captures)  • Sierra Leone (CHWs peer supervisors)  • Malawi (Senior HSAs)  • Burkina Faso (CBHWs supervisors)  • Funders department (South Africa)

Note: CHEWs: Community Health Extension Workers; CHWs: Community Health Workers; CHPs: Community Health Promoters; DRC: Democratic Republic of Congo HEWs: Health Extension Workers; VHTs: Village Health Teams; HSAs: Health Surveillance Assistances; CBHWSs: Community Based Health Workers

CBHIS data pathways. CHWs primarily use paper-based tools for data collection<sup>38,42,45</sup>; however, some countries have adopted electronic-based systems (eCBHIS), such as mobile phone applications and mHealth tools<sup>41–53</sup>). In some instances, CHWs must use both manual and eCBHIS methods, as observed in Ethiopia<sup>47,54</sup> and Ghana<sup>42</sup>. Additionally, mobile technology has been utilized to collect community health data, such as in Kenya, where the mHealth application has been used to collect non-communicable diseases, particularly diabetes and hypertension<sup>55</sup>, and a simple short message service (SMS) – based reporting to support the supply chain management<sup>50</sup>. A mobile-based eCBHIS was implemented in Zambia to monitor commodities stock levels<sup>52</sup>.

In paper-based systems, CHWs record household visits and activities in standardized Federal/National Ministry of Health (MoH) service delivery registers, which are then collated to complete monthly report forms. These report forms their respective catchment areas are then submitted to the supervisors, who aggregate the data in paper-based standardized MoH forms that are in turn submitted to the subnational office (sub-county, county, district, or regional) for digital entry into the web-based national health information systems, the District Health Information System (DHIS2)<sup>26,56-62</sup>. Notably, digital entry of the paper-based systems into the DHIS2 database happens at the sub-national level<sup>1,11,32</sup>. However, the lack of harmonization of CHW data collection tools and HMIS forms has been identified as a barrier to data capture in HMIS during data submission<sup>33,63,64</sup>.

In electronic-based systems, data on household visits or program-specific indicators are entered electronically by CHWs into electronic forms on the applications installed on their tablets or mobile phones and submitted electronically to the organization's database or sub-national or national HMIS, DHIS2<sup>27,37,41,51,52</sup>. The electronically aggregated data in the HMIS are made visible and accessible to CHWs supervisors, health managers, and data managers, who review data, trace data errors in data capture, track and analyse data, as well as send electronic feedback notes to CHWs<sup>41,51,52</sup>. Some applications have built-in data validation to ensure the completeness of data<sup>41,51</sup>. However, in other instances, CBHIS data are directly conveyed to the department of funders, bypassing health facilities for electronic database recording<sup>60</sup>.

CBHIS data review/use meetings are intended to also create effective feedback mechanisms across healthcare service levels<sup>1</sup>. However, the implementation of these mechanisms was often limited to human resource constraints, as observed in Namibia, whereas in DRC, feedback mechanisms were reported to function better in areas with partner support, and in Uganda, feedback was reliant upon the provision of supportive supervision<sup>1</sup>.

The data flow for the CBHIS and feedback mechanisms varied depending on the country and tools used for data collection, whether paper-based or electronic-based.

Utilisation of CBHIS data. At the national/federal level, the division/department responsible for health information systems receives community health data from sub-national levels, which is then transmitted to the division responsible for community health services within the Ministry of Health (MoH)<sup>1</sup>. The division of community health services utilizes the data to track the progress of community health programs, create annual health sector performance reports, formulate policies, and provide feedback to decentralized levels. Ideally, all levels of the health system, including community, sub-national, and national, should review and utilise CBHIS data<sup>1</sup>. However, data producers and users often lack the core competencies of data analysis, interpretation, and synthesis, which, in turn, limit the demand and use of data in decision-making processes<sup>1,11,65</sup>.

CBHIS data is reportedly utilized by various stakeholders, including government entities, NGOs, CBOs, funders, health facilities, community health committees, and healthcare professionals at different levels, to guide decision-making, policy decisions, staffing, commodities supplies, and resource health programmes<sup>26,29,52,57,64</sup>. allocation for community In Ethiopia and Malawi, CBHIS data is used to support health extension services<sup>30,54,61,66,67</sup>, whereas, in South Africa, CHWs use it for community activities and referrals to service providers<sup>46</sup>. In Namibia, the MoH uses it to inform future community health programmes1, while health managers in Ethiopia use it to monitor and evaluate community health services<sup>54,61</sup>. In Kenya, CBHIS programme data is used to assess interventions68 and design new ones, and in South Africa, regional coordinators use it for programme tracing and planning<sup>60</sup>. CBHIS data also supports collective activities such as community dialogue in Kenya, South Africa, Malawi, and Ethiopia to address the prevalent challenges in catchment areas/community units 12,36,56,58.

Moreover, CBHIS data is utilized in various ways by CHWs and healthcare providers in Ethiopia, Kenya, South Africa, Malawi, and Zambia, such as tracking defaulters for health services and scheduling house visits<sup>12,33,37,46,68</sup>, assessing the utilization and coverage of maternal and newborn care services<sup>69</sup>, institutional delivery of immunization<sup>59,69–71</sup>, monitoring trends in health service delivery and disease prevalence, and implementing mitigation strategies for disease outbreaks<sup>12,63</sup>. CHWs also use this data to monitor community health supplies and commodity stock levels<sup>33,50,52</sup> and plan health resources at the sub-national and national levels<sup>28,38,41</sup>. While CBHIS data is crucial for improving community health programs and outcomes, challenges remain in effectively using data at the community level other than for reporting purposes<sup>12,26</sup>.

Accessibility of CBHIS data and community empowerment. Community dialogue is the most widely used strategy for community engagement, empowerment, and access to CBHIS data. Studies conducted in Ethiopia, Kenya, Malawi, and South Africa have reported that community dialogue brings together community members, leaders, representatives, community health committees, CHWs, and health providers to share

CBHIS data for priority setting, planning, implementation, evaluation of health interventions/programmes, and consensus in addressing specific community health issues<sup>36,46,56–58,68,69,72</sup>. CHWs collaborate with community health-level committees to initiate community dialogues. In addition to community dialogue, community members can access CBHIS data through wall charts/chalkboards displayed in community units, health centers, and clinics<sup>26,32,33</sup>. However, a multi-country study across 17 West and Central African countries revealed the lack of CBHIS data accessibility to community members beyond the CHWs, impeding community participation in data utilization<sup>73</sup>. The included studies have attributed improved health indicators, health service utilization, and health practices, including improved sanitation and hygiene practices, drug adherence, reduced stigma, increased family planning methods, immunization, and maternal delivery to community dialogues<sup>12,36,68</sup>. Nonetheless, evidence directly linking community dialogue to improving specific health indicators, health status, and health practices is limited. Community empowerment in community dialogues tends towards health promotion activities<sup>36,56–58</sup>.

#### Discussion

CHS is a crucial aspect of PHC and a vehicle for achieving UHC and other global health SDG priorities. To effectively deliver community health services, a functional and practical CBHIS is essential for countries to track their progress toward PHC and UHC. This scoping review aimed to synthesise evidence on the current practices of CBHIS data generation, data pathways across different health system levels, utilisation of CBHIS data, and accessibility of CBHIS data to communities to empower communities in African countries. The majority of articles reported on CBHIS data generation and use. Most CBHIS utilize paper-based systems, although some countries have adopted electronic/digital systems (eCBHIS) to record and transmit data to sub-national and national HMIS; data pathways vary by country. Multiple stakeholders utilize CBHIS data for decision-making, including policymaking, resource allocation, staffing, programme evaluations, and informing community health programmes and dialogues. Community dialogue is the most common strategy for community engagement, sharing CBHIS data, and empowering communities.

CHWs are crucial in generating data for the CBHIS. Different cadres of CHWs have distinct roles and include data collection, management, and dissemination. Although most countries rely on paper-based systems for data collection, some use electronic-based systems 1,37,45–47, or a combination of both 47,54. However, reported challenges included a lack of standardized data collection and compilation tools 1,11, inadequate personnel competencies 37,51,52, and duplicate data entries in paper-based and electronic forms 1, can lead to limited data collection and loss, negatively impacting data quality. As countries transition to digitized systems, it is crucial to provide regular technical and supportive supervision to CHWs to tackle user-related and system-related challenges they face with eCBHIS. Continued training for CHWs on basic

Information Communication Technology (ICT) skills, digital tools, and data analysis and use, is still vital to ensure timely, accurate, and complete data entry into eCBHIS<sup>4,47,65,74,75</sup>.

The contextual adoption of mobile technology can help with the transition e.g., simple feature phones with simple SMS-based reporting systems have been successfully adopted in Ghana, Kenya, Malawi, and Zambia<sup>4,19</sup>. Our review revealed an absence of policy guidance concerning data security and privacy aspects for both paper- and electronicbased CBHIS systems<sup>11,41</sup>. For instance, CHWs were obliged to store paper-based data in their homes owing to insufficient storage, leading to lost data forms and the potential breach of confidentiality11. To enhance the security and privacy of CBHIS data in the healthcare sector, countries transitioning to digital systems should develop or update their eCBHIS policy frameworks. These frameworks should address the gaps in data security and privacy, safeguard community data and guide the implementation of data protection principles in eCBHIS<sup>1,76</sup>.

CBHIS generates large amounts of data on healthcare services and population health, presenting opportunities for data-driven decision-making in the CHS. While efforts to enhance CBHIS have primarily focused on digitalization and improving data collection and quality, particularly at the community level, there is a disproportionate emphasis on the technical aspects of enabling data use<sup>74,77</sup>. The ultimate goal of CBHIS is to translate data into action, address health challenges, and improve the access and quality of community health services<sup>77</sup>. We indicate that CBHIS data can be utilized in health system and service outcomes, health resource allocation, and administrative decisions 45,54,57,59,66,78; however, there was limited evidence on the impact of the data-driven decision-making approach in the included studies. Various challenges impede the utilisation of CBHIS data, such as fragmented reporting systems<sup>13</sup>, poor coordination between data producers and users<sup>12,13</sup>, variations in the decentralization of community health decisions<sup>14</sup>, and limited capacity of data producers and users and utilize the data for decision-making<sup>1,11,65</sup>.

To ensure sustainable demand and use of data in decisionmaking, it is essential to develop the capacity of data producers and users in core competencies, such as data analysis, interpretation, and synthesis, at all levels of the health system, including the CHS. Investing in capacity-building for data producers and users on critical competencies can facilitate the functioning of CBHIS<sup>79</sup>. Lippeveld (2017) identified many barriers to data use related to organizational and behavioural factors<sup>77</sup>. The information use culture can act as both a barrier<sup>12,26</sup> and a facilitator<sup>80</sup> in data utilization. Negative organizational behaviour, such as the pressure senior health managers exert on providers to meet unrealistic service delivery targets, has contributed to false reporting and the denial of existing service delivery problems. Conversely, community-led monitoring of health service delivery data has been demonstrated to promote positive organization behaviour by enhancing the culture of information<sup>77,80</sup>.

Community participation in health information generation and dissemination has been shown to increase community engagement and health information sharing and foster health system responsiveness through community activism<sup>20,80–82</sup>. However, community members face barriers to accessing and using health information. A multi-country study across 17 West and Central African nations found that community members lacked access to CBHIS data beyond that of CHWs, which hindered their participation in data utilisation<sup>73</sup>. This limits the involvement of end-users of care in developing interventions that align with local needs and are informed by local knowledge and priorities in a more effective and transformative way that helps empower marginalized and vulnerable population groups. Community data dissemination has shown positive results in various initiatives<sup>80,83,84</sup>. For instance, a randomised field experiment in nine districts in Uganda revealed that granting communities access to data increased their involvement, accountability, and community-led monitoring of PHC services<sup>80</sup>. Consequently, service utilisation and health outcomes improved significantly. This intervention emphasises the magnitude of community participation and a bottom-up approach to enhancing CHS service delivery and health outcomes. Integrating this approach with a structured top-down approach can lead to even better results80.

The results of our review carry with them some implications. The CHS require the availability of good-quality data, however, this on its own is insufficient to support the use of data in the CHS and broader health systems management decision-making. Although studies included in our review reported the utilization of CBHIS data, there are deficiencies in comprehending the extent to which it's used or integrated in decision-making processes and policy formulation. The health authorities and practitioners may need to consider implementing interventions that explicitly focus on improving the link between CBHIS data collection and the use of data for decision-making. CHS activities, policies and guidelines may need to focus on capacity building of data producers and users in data management and data use competencies, including analysis, synthesis, interpretation, critical review of data, and data-informed decision making<sup>1,11,65</sup>. In addition, there is a need to focus on organizational culture and practice of monitoring, evaluation, and communication of data use interventions, and that encourages health managers, frontline health providers and users of health services, to take responsibility for using data to inform decision making<sup>7,77,80</sup>.

Our review suggests that there is limited access to CBHIS data beyond community dialogues and wall charts in community health units. Accessibility of CBHIS data to the community is essential to foster community participation in community health activities and accountability. An experimental study on information intervention in Uganda shows that disseminating data to community members can enhance community participation in CHS services, empower them and promote accountability of health providers at the community level<sup>80</sup>. However, there is a gap in studying the impact of community participation and empowerment on health outcomes.

There is a large and diverse body of literature on CBHIS data generation/production (data sources, data management, information products and dissemination) and systems performance (data quality and data use). However, there is a research gap on the links between data collection and data use, and between data use and systems impact, as well as components needed for the design and evaluation of CBHIS, to effectively support health system management decision-making. Implementation research approaches may also help understand data-driven decision-making mechanisms in operational settings<sup>7</sup>.

#### Strengths and limitations

We conducted a systematic and thorough evaluation of the existing literature. Our approach involved conducting a comprehensive literature search, employing duplicate article screening, and selecting articles by independent reviewers, with senior reviewers verifying and ensuring quality control. However, our review had some limitations. First, we only included published articles and grey literature, which may have led to the exclusion of other relevant documentation on CBHIS. Second, we did not consider non-English studies or grey literature, which could have resulted in the exclusion of articles from non-English-speaking African countries that may have been relevant to our review.

#### Conclusion

While there is a focus on enhancing data collection, processing, quality, and digitization of CBHIS, there is a need to shift the emphasis towards enabling data utilisation at the community level and community empowerment. Community involvement and empowerment are mainly achieved through community dialogue, but it should move beyond supply-side-driven health promotion activities and enhance demand-driven interventions to foster community accountability and tailor interventions to community needs. Demand-driven initiatives can promote community participation in CBHIS, community empowerment, and health activism. The renewed commitment to PHC presents an opportunity to optimise the functionality of CBHIS and accelerate progress towards UHC and other health-related SDGs.

## **Data availability**

#### Underlying data

All data underlying the results are available as part of the article and no additional source data are required.

## Extended data

Havard Dataverse: Replication Data for: Examining the Development and Utilisation of Community-Based Health Information Systems (CBHIS) in Africa: A Scoping Review

## https://doi.org/10.7910/DVN/ZH5JK825

This project includes the following extended data:

- Additional File 1 (information search strategy)
- Additional File 2 (data extraction form)

• Additional File 3 (characteristics of included studies).

## Reporting guidelines

Havard Dataverse: PRISMA\_ScR Checklist for 'Examining the development and utilisation of Community-Based Health Information Systems (CBHIS) in Africa: A Scoping Review'. https://doi.org/10.7910/DVN/ZH5JK8<sup>25</sup>.

Data are available under the terms of the Creative Commons Attribution 4.0 International license (CC-BY 4.0).

#### Authors contributions

**Kuvuna B**: Conceptualization, Data Curation, Formal analysis, Investigation, Methodology, Validation, Writing – Original Draft Preparation, Writing – Review & Editing; **Nyanchoka M**: Conceptualization, Formal analysis, Investigation, Methodology, Validation, Writing – Original Draft Preparation,

Writing – Review & Editing; Guleid F: Conceptualization, Writing – Review & Editing; Ogutu M: Conceptualization, Writing – Review & Editing; Tsofa B: Conceptualization, Funding Acquisition, Investigation, Methodology, Project Administration, Validation, Writing – Review & Editing; Nzinga J: Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Supervision, Validation, Writing – Original Draft Preparation, Writing – Review & Editing.

#### Acknowledgment

This study is part of the African Health Observatory Platform on Health Systems and Policies (AHOP) projects. We thank Alex Maina, Research Librarian at the KEMRI-Wellcome Trust Research Programme, Kenya, who advised on and developed the search strategy. We also acknowledge the KEMRI-Wellcome Trust Research Programme for the infrastructural support to conduct this work.

#### References

- MCSP: National Community Health Information Systems in four african countries. Descriptions and lessons from the field. The Maternal and Child Survival Program (MCSP). 2019. Reference Source
- Africa Centres for Disease, Control and Prevention: Ministerial meeting on strengthening community health workforce, systems and programmes in Africa. 2023.

Reference Source

- Agarwal S, Kirk K, Sripad P, et al.: Setting the global research agenda for Community Health Systems: literature and consultative review. Hum Resour Health. 2019; 17(1): 22.
   PubMed Abstract | Publisher Full Text | Free Full Text
- Mekonnen ZA, Chanyalew MA, Tilahun B, et al.: Lessons and implementation challenges of Community Health Information System in LMICs: a scoping review of literature. Online J Public Health Inform. 2022; 14(1): e5. PubMed Abstract | Free Full Text
- Zambruni JP, Rasanathan K, Hipgrave D, et al.: Community Health Systems: allowing Community Health Workers to emerge from the shadows. Lancet Glob Health. 2017; 5(9): e866-e867.
   PubMed Abstract | Publisher Full Text
- Evaluation M: Community-Based Health Information Systems in the global context a review of the literature. MEASURE Evaluation the Carolina Population Center UoNC, 2016. Reference Source
- Leon N, Balakrishna Y, Hohlfeld A, et al.: Routine Health Information System (RHIS) improvements for strengthened health system management. Cochrane Database Syst Rev. 2020; 8(8): CD012012.
   PubMed Abstract | Publisher Full Text | Free Full Text
- WHO: Monitoring the building blocks of health systems: a handbook of indicators and their measurement strategies. 2010. Reference Source
- Schneider H, Olivier J, Orgill M, et al.: The multiple lenses on the Community Health System: implications for policy, practice and research. Int J Health Policy Manag. 2022; 11(1): 9–16.
   PubMed Abstract | Publisher Full Text | Free Full Text
- Russpatrick S, Sæbø J, Romedenne M, et al.: The state of Community Health Information Systems in West and Central Africa. J Global Health Rep. 2019; 3: e2019047.
   Publisher Full Text
- Regeru RN, Chikaphupha K, Bruce Kumar M, et al.: 'Do you trust those data?'—a mixed-methods study assessing the quality of data reported by Community Health Workers in Kenya and Malawi. Health Policy Plan. 2020; 35(3): 334-45.
   PubMed Abstract | Publisher Full Text | Free Full Text

- Flora OC, Margaret K, Dan K: Perspectives on utilization of Community Based Health Information Systems in Western Kenya. Pan Afr Med J. 2017; 27: 180.
  - PubMed Abstract | Publisher Full Text | Free Full Text
- Tilahun B, Teklu A, Mancuso A, et al.: Using health data for decision-making at each level of the health system to achieve Universal Health Coverage in Ethiopia: the case of an immunization programme in a low-resource setting. Health Res Policy Syst. 2021; 19(Suppl 2): 48.
   PubMed Abstract | Publisher Full Text | Free Full Text
- 14. Kumar MB, Taegtmeyer M, Madan J, et al.: How do decision-makers use evidence in community health policy and financing decisions? a qualitative study and conceptual framework in four African countries. Health Policy Plan. 2020; 35(7): 799–809.
  PubMed Abstract | Publisher Full Text | Free Full Text
- Walker D: Community-Based Health Information System guide: approaches and tools for development. MEASURE Evaluation, The Carolina Population Center UoNC, 2019. Reference Source
- Bakibinga P, Kamande E, Kisia L, et al.: Challenges and prospects for implementation of Community Health Volunteers' digital health solutions in Kenya: a qualitative study. BMC Health Serv Res. 2020; 20(1): 888. PubMed Abstract | Publisher Full Text | Free Full Text
- Kenya M: Electronic Community Health Information System (eCHIS) 2020 landscape assessment report. Ministry of Health, the Republic of Kenya, Services DoCH. 2021. Reference Source
- Owoyemi A, Osuchukwu JI, Azubuike C, et al.: Digital solutions for community and primary health workers: lessons from implementations in Africa. Front Digit Health. 2022; 4: 876957.
   PubMed Abstract | Publisher Full Text | Free Full Text
- Stanton MC, Mkwanda SZ, Debrah AY, et al.: Developing a community-led SMS reporting tool for the rapid assessment of lymphatic filariasis morbidity burden: case studies from Malawi and Ghana. BMC Infect Dis. 2015; 15(1): 214.
  - PubMed Abstract | Publisher Full Text | Free Full Text
- van Pinxteren M, Colvin CJ, Cooper S: Using health information for community activism: a case study of the Movement for Change and Social Justice in South Africa. PLOS Glob Public Health. 2022; 2(9): e0000664. PubMed Abstract | Publisher Full Text | Free Full Text
- Hailemariam T, Atnafu A, Gezie LD, et al.: Individual and contextual level enablers and barriers determining electronic Community Health Information System implementation in northwest Ethiopia. BMC Health Serv Res. 2023; 23(1): 644.
   PubMed Abstract | Publisher Full Text | Free Full Text

- Arksey H, O'Malley L: Scoping studies: towards a methodological framework. Int J Soc Res Method. 2005; 8(1): 19-32. **Publisher Full Text**
- Tricco AC, Lillie E, Zarin W, et al.: PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. Ann Intern Med. 2018; 169(7): **PubMed Abstract | Publisher Full Text**
- Nyanchoka M, Kuvuna B, Guleid F, et al.: Examining the development and utilisation of Community-Based Health Information Systems (CBHISs) in Africa: a scoping review. 2023.
- Beatrice K, Moriasi N, Fatuma G, et al.: Replication data for: examining the development and utilisation of Community-Based Health Information Systems (CBHIS) in Africa: a scoping review. V1 ed: Harvard Dataverse, 2024.
- Hazel E, Chimbalanga E, Chimuna T, et al.: Using data to improve programs: assessment of a Data Quality and Use intervention package for integrated Community Case Management in Malawi. Glob Health Sci Pract. 2017; 5(3):
  - PubMed Abstract | Publisher Full Text | Free Full Text
- Namatovu E, Kanjo C: Visibility in community health work mediated by mobile health systems: a case of Malawi. Electron J Inf Syst Dev Ctries. 2019; 85(2): e12071. **Publisher Full Text**
- Nanyonjo A, Kertho E, Tibenderana J, et al.: District health teams' readiness to institutionalize integrated Community Case Management in the Uganda local health systems: a repeated qualitative study. Glob Health Sci Pract. 2020; 8(2): 190-204. PubMed Abstract | Publisher Full Text | Free Full Text
- Diallo CO. Schiøler KL. Samuelsen H. et al.: Information system as part of epidemic management in Burkina Faso: from plan to reality (Field Findings). BMC Public Health. 2022; 22(1): 1726. PubMed Abstract | Publisher Full Text | Free Full Text
- Mossie MY, Pfitzer A, Yusuf Y, et al.: Counseling at all contacts for postpartum contraceptive use: can paper-based tools help Community Health Workers improve continuity of care? A qualitative study from Ethiopia (version 2; peer review: 2 approved, 1 approved with reservations). Gates Open Res.
  - PubMed Abstract | Publisher Full Text | Free Full Text
- Mash R, Du Pisanie L, Swart C, et al.: Evaluation of household assessment data collected by Community Health Workers in Cape Town, South Africa. S Afr Fam Pract (2004). 2020; 62(1): e1-e6.
  PubMed Abstract | Publisher Full Text | Free Full Text
- Næss M: Automated feedback systems for Community Health Workers-a case study from Malawi. 2018. **Reference Source**
- Kubalalika PJ: Lessons learned from introducing a Village Health Registry in Malawi. Online J Public Health Inform. 2018; 10(2): e217. PubMed Abstract | Free Full Text
- Chhetri A: Evaluation and development of android mHealth application for Community Health Workers in Malawi: comparison of commcare and DHIS2 tracker. 2018.
- Mitsunaga T, Hedt-Gauthier BL, Ngizwenayo E, et al.: Data for program management: an accuracy assessment of data collected in household registers by Community Health Workers in Southern Kayonza, Rwanda. J Community Health. 2015; 40(4): 625–32. PubMed Abstract | Publisher Full Text
- Jeremie N, Akinyi C: Utilization of community based health information systems; management and community service delivery in Kenya. American Journal of Clinical Neurology and Neurosurgery. 2015; 1(2): 54–9.
- Schuttner L, Sindano N, Theis M, et al.: A mobile phone-based, Community Health Worker program for referral, follow-up, and service outreach in rural Zambia: outcomes and overview. Telemed J E Health. 2014; 20(8): 721-8. PubMed Abstract | Publisher Full Text | Free Full Text
- Hamainza B, Killeen GF, Kamuliwo M, et al.: Comparison of a mobile phonebased malaria reporting system with source participant register data for capturing spatial and temporal trends in epidemiological indicators of malaria transmission collected by Community Health Workers in rural Zambia. Malar J. 2014; 13(1): 489 PubMed Abstract | Publisher Full Text | Free Full Text
- Odendaal W, Lewin S, McKinstry B, et al.: Using a mHealth system to recall and refer existing clients and refer community members with health concerns to primary healthcare facilities in South Africa: a feasibility study. Glob Health Action. 2020; 13(1): 1717410.
  PubMed Abstract | Publisher Full Text | Free Full Text
- O'Connor EC, Hutain J, Christensen M, et al.: Piloting a Participatory, Community-Based Health Information System for strengthening community-based health services: findings of a cluster-randomized controlled trial in the slums of Freetown, Sierra Leone. J Glob Health. 2019; 9(1): 010418.
  - PubMed Abstract | Publisher Full Text | Free Full Text
- 41. Asangansi I, Macleod B, Meremikwu M, et al.: Improving the routine HMIS in

- Nigeria through mobile technology for community data collection. J Health Inform Dev Ctries, 2013: 7(1). **Reference Source**
- Ohemeng-Dapaah S, Pronyk P, Akosa E, *et al.*: **Combining vital events registration, verbal autopsy and electronic medical records in rural Ghana** for improved health services delivery. Stud Health Technol Inform. 2010; 160(Pt 1): 416-420. PubMed Abstract | Publisher Full Text
- Karajeanes E, Bila D, Luis M, et al.: The infomóvel—an information system for managing HIV/AIDS patients in rural areas of Mozambique. BMC Med Inform Decis Mak. 2023; 23(1): 187. PubMed Abstract | Publisher Full Text | Free Full Text
- Swartz A, LeFevre AE, Perera S, et al.: Multiple pathways to scaling up and sustainability: an exploration of digital health solutions in South Africa. *Global Health*. 2021; **17**(1): 77. PubMed Abstract | Publisher Full Text | Free Full Text
- Rothstein ID. lennings L. Moorthy A. et al.: Qualitative assessment of the feasibility, usability, and acceptability of a mobile client data app for community-based maternal, neonatal, and child care in rural Ghana. Int J Telemed Appl. 2016; **2016**(1): 2515420. **PubMed Abstract | Publisher Full Text | Free Full Text**
- Tshikomana RS, Ramukumba MM: Implementation of mHealth applications in community-based health care: insights from Ward-Based Outreach Teams in South Africa. PLoS One. 2022; 17(1): e0262842. PubMed Abstract | Publisher Full Text | Free Full Text
- Bogale TN, Teklehaimanot SM, Fufa Debela T, et al.: Barriers, facilitators and motivators of electronic Community Health Information System use among health workers in Ethiopia. Front Digit Health. 2023; 5: 1162239. PubMed Abstract | Publisher Full Text | Free Full Text
- Miiro C, Oyama C, Aoki Y, et al.: Bridging the gap between community health workers' digital health acceptance and actual usage in Uganda: exploring key external factors based on technology acceptance model. 2023.
- Yang JE, Lassala D, Liu JX, et al.: Effect of mobile application user interface improvements on minimum expected home visit coverage by community health workers in Mali: a randomised controlled trial. BMJ Glob Health. 2021; PubMed Abstract | Publisher Full Text | Free Full Text
- Andersson SR, Hassanen S, Momanyi AM, et al.: Using Human-Centered Design to adapt supply chains and digital solutions for Community Health Volunteers in nomadic communities of Northern Kenya. Glob Health Sci Pract. 2021; 9(Suppl 1): S151–S67. PubMed Abstract | Publisher Full Text | Free Full Text
- Mengesha W, Steege R, Kea AZ, et al.: Can mHealth improve timeliness and quality of health data collected and used by health extension workers in rural Southern Ethiopia? J Public Health (Oxf). 2018; 40(suppl\_2): ii74-ii86. PubMed Abstract | Publisher Full Text | Free Full Text
- Biemba G, Chiluba B, Yeboah-Antwi K, et al.: A mobile-based Community Health Management Information System for Community Health Workers and their supervisors in 2 districts of Zambia. Glob Health Sci Pract. 2017; 5(3): 486-494 PubMed Abstract | Publisher Full Text | Free Full Text
- Gatara MC: Mobile-health tool use and Community Health Worker performance in the Kenyan context: a comparison of Task-Technology Fit perspectives. mHealth Ecosystems and Social Networks in Healthcare. 2016; 20: **Publisher Full Text**
- Chewicha K, Azim T: Community Health Information System for family centered health care: scale-up in Southern Nations Nationalities and People's Region. Ethiop Ministry Health Q Health Bulletin. 2013; 5(1): 49–51. Reference Source
- Viljoen A, Klinker K, Wiesche M, et al.: Design principles for mHealth application development in rural parts of developing countries: the case of noncommunicable diseases in Kenya. IEEE Trans Eng Manag. 2023; 70(3): **Publisher Full Text**
- Wekesa RN: Utilization of the Health Information Management System by community health workers in the AMREF facility in Kibera, Nairobi **County, Kenya.** Unpublished Masters Degree in Public Health, Monitoring and Evaluation Project, Kenyatta University, Nairobi, Kenya, 2014.
- Pepela WD, Odhiambo-Otieno GW: Community Health Information System utility: a case of Bungoma County Kenya. Int Res J Public Env Health. 2016;
  - **Publisher Full Text**
- Mambo S, Odhiambo-Otieno GW, Ochieng'-Otieno G, et al.: Assessing the influence of process interventions of community health volunteers on use of community based health management information systems in selected counties, Kenya. *Int J Sci Res Pub.* 2018; **8**(8).
- Bayeh B: Process evaluation of Community Health Information System in 59. West Gojjam Zone Amhara Regional State, Ethiopia: UOG. 2021
- August V: Factors influencing the implementation of a Community Based

Information System and data use by Community Health Workers for the planning and management of HIV/AIDS programmes in Chris Hani District, Eastern Cape. 2022.

#### **Reference Source**

- Ejeta LT, Leta Y, Abuye M, et al.: Implementing the Urban Community Health Information System in Ethiopia: lessons from the pilot-tests in Addis Ababa, Bishoftu and Hawassa. Ethiop J Health Develop. 2020; 34(2): 49-53.
- Dusabe-Richards JN, Tesfaye HT, Mekonnen J, et al.: Women Health Extension Workers: capacities, opportunities and challenges to use ehealth to strengthen equitable health systems in southern Ethiopia. *Can J Public Health*. 2016; **107**(4–5): e355–e61. PubMed Abstract | Publisher Full Text | Free Full Text
- Kasambara A, Kumwenda S, Kalulu K, et al.: Assessment of implementation of the Health Management Information System at the district level in southern Malawi. Malawi Med J. 2017; 29(3): 240-6. PubMed Abstract | Publisher Full Text | Free Full Text
- Kirk K, McClair TL, Dakouo SP, et al.: Introduction of digital reporting platform to integrate community-level data into health information systems is feasible and acceptable among various community health stakeholders: a mixed-methods pilot study in Mopti, Mali. / Glob Health.
  - PubMed Abstract | Publisher Full Text | Free Full Text
- Simen-Kapeu A, Reserva ME, Ekpini RE: Galvanizing action on Primary Health Care: analyzing bottlenecks and strategies to strengthen community health systems in West and Central Africa. Glob Health Sci Pract. 2021; 9(Suppl 1): S47-S64
  - PubMed Abstract | Publisher Full Text | Free Full Text
- Yarinbab TE, Assefa MK: **Utilization of HMIS data and its determinants at** health facilities in east Wollega zone, Oromia regional state, Ethiopia: a health facility based cross-sectional study. Med Health Sci. 2018; 7(1): 4-9.
- Daka DW, Wordofa MA, Abdi KL, et al.: Health extension workers' digital literacy and their attitude towards community-level electronic health information systems in Tiro Afata Woreda, Southwest Ethiopia. Ethiop J Health Dev. 2022: 36(2). **Reference Source** 
  - Jeremie N, Kaseje D, Olayo R, et al.: Utilization of community-based health information systems in decision making and health action in Nyalenda, Kisumu County, Kenya. Univers J Med Sci. 2014; 2(4): 37–42.
  - **Publisher Full Text**
- Karim AM, Fesseha Zemichael N, Shigute T, et al.: Effects of a Community-Based Data for Decision-Making intervention on maternal and newborn health care practices in Ethiopia: a dose-response study. BMC Pregnancy Childbirth. 2018; 18(Suppl 1): 359.
  PubMed Abstract | Publisher Full Text | Free Full Text
- Zegeye AH, Kara NM, Bachore BB, et al.: Utilization of Community Health Information System and associated factors in health posts of Hadiya zone, southern Ethiopia. J Med Physiol Biophys. 2020; 63: 13-22.
- Tigabu S, Medhin G, Jebena MG, et al.: The effect of Community Health Information System on health care services utilization in rural Ethiopia.

- Ethiop J Health Sci. 2023; 33(1): 15-24. PubMed Abstract | Free Full Text
- Ngugi AK, Odhiambo R, Agoi F, et al.: Cohort profile: the Kaloleni/Rabai Community Health and Demographic Surveillance System. Int J Epidemiol. 2020: 49(3): 758-759e
  - PubMed Abstract | Publisher Full Text | Free Full Text
- Russpatrick S, Sæbø J, Romedenne M, et al.: The state of Community Health Information Systems in West and Central Africa. J Glob Health Rep. 2019; 3: e2019047.
- Byrne E, Sæbø II: Routine use of DHIS2 data: a scoping review. BMC Health Serv Res. 2022: 22(1): 1234. PubMed Abstract | Publisher Full Text | Free Full Text
- Penn L, Goffe L, Haste A, et al.: Management Information Systems for community based interventions to improve health; qualitative study of stakeholder perspectives. BMC Public Health. 2019; 19(1): 105. PubMed Abstract | Publisher Full Text | Free Full Text
- Ogonio FA, Achieng R, Zalo M: An overview of data protection in Kenvan health sector. Strathmore University; 2022.
- Lippeveld T: Routine health facility and community information systems: creating an information use culture. Glob Health Sci Pract. 2017; **5**(3): 338–40. PubMed Abstract | Publisher Full Text | Free Full Text
- Chanyalew MA, Yitayal M, Atnafu A, et al.: Routine health information system utilization for evidence-based decision making in Amhara national regional state, northwest Ethiopia: a multi-level analysis. BMC Med Inform Decis Mak. 2021; 21(1): 28. PubMed Abstract | Publisher Full Text | Free Full Text
- Nutley T: Improving data use in decision making: an intervention to strengthen health systems. MEASURE Evaluation, 2012. Reference Source
- Björkman M, Svensson J: Power to the people: evidence from a randomized field experiment on community-based monitoring in Uganda. Q J Econ. 2009: 124(2): 735-69. Publisher Full Text
- Karuga R, Kok M, Luitjens M, et al.: Participation in primary health care through community-level health committees in Sub-Saharan Africa: a qualitative synthesis. *BMC Public Health*. 2022; **22**(1): 359. ubMed Abstract | Publisher Full Text | Free Full Text
- Kretchy IA, Okoibhole LO, Sanuade OA, et al.: Scoping review of Community Health Participatory Research projects in Ghana. Glob Health Action. 2022; **15**(1): 2122304. PubMed Abstract | Publisher Full Text | Free Full Text
- Rifkin SB: Examining the links between community participation and health outcomes: a review of the literature. Health Policy Plan. 2014; 29 Suppl 2(suppl\_2): ii98-ii106.
- PubMed Abstract | Publisher Full Text | Free Full Text
- Baptiste S, Manouan A, Garcia P, et al.: Community-led monitoring: when community data drives implementation strategies. Curr HIV/AIDS Rep. 2020; **17**(5): 415-421.
  - PubMed Abstract | Publisher Full Text | Free Full Text

# **Open Peer Review**

**Current Peer Review Status:** 









Reviewer Report 25 September 2024

https://doi.org/10.21956/wellcomeopenres.25479.r100268

© **2024 Kaseje D.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



# Dan Kaseje

Tropical Institute of Community Health and Development, Great Lakes University of Kisumu, Kisumu, Kenya

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard. It is approved.

**Competing Interests:** No competing interests were disclosed.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

# **Version 1**

Reviewer Report 20 September 2024

https://doi.org/10.21956/wellcomeopenres.25084.r95037

© **2024 Kaseje D.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

# ?

# Dan Kaseje

- <sup>1</sup> Tropical Institute of Community Health and Development, Great Lakes University of Kisumu, Kisumu, Kenya
- <sup>2</sup> Tropical Institute of Community Health and Development, Great Lakes University of Kisumu, Kisumu, Kenya

The work is insightful for publication and contributing to the body of knowledge in the area of

CBHIS.

**Title:** The title of the review should be precise and consistent with the problem statement and objectives

The title reads: Examining the development and utilization of Community-Based Health Information Systems (CBHIS) in Africa: A Scoping Review. The problem statement and objectives focus on generation and utilization of CBHIS information, leaving out the development of CBHIS, reflected on the title. Authors to consider excluding "development from the title" and thus harmonize the title with problem statement, the objectives, results and discussion.

**Scope:** The title states reflects the scope to be the review to be Africa, yet the work reviewed as reflected by results , appear to be Sub Saharan Africa, no single study from North Africa, reflected.

#### **Abstract:**

The objective reads "This scoping review aims to comprehensively examine the use of CBHIS in African countries, focusing on data generation, pathways, utilization of CBHIS data, community accessibility to the data and use" The content does not reflect CBHIS pathways. There is need to highlight pathways, or exclude it from the objectives.

**Background:** The problem statement is clear, stating why this study was necessary and what it aimed to contribute to the field. The section could end with a very brief statement of what is being reported in the article.

**Methods:** The method section has been well written giving sufficient information and elaborating the design of the study including theoretical frameworks applied in data collection analysis.

The inclusion of grey literature is commendable although some reflection on the strength of evidence, given the numerous sources of error involved as compared to scientifically designed works.

**Results:** Going through the results section, which is well written but the cannot miss to notice the relative over-representation of articles from Kenya, East Africa, and could wonder about some bias in literature access. A statement to demonstrating that articles from the other regions of Africa had equal chance of being included, may be useful.

To help the reader have a glimpse of the achievements and challenges, study type, country where the study was undertaken will be good at the end of the section to have a table or a matrix summarizing the findings based themes or review objectives.

**Discussion:** Could be structured way, as follows: a) statement of principal findings by objectives; b) strengths and weaknesses of the review; c) contextualizing findings in context of similar reviews hence d) contribution to new knowledge

**Conclusion:** Is well written but could provide a brief summarize of the key findings, potential implications and the way forward.

Are the rationale for, and objectives of, the Systematic Review clearly stated?

Yes

Are sufficient details of the methods and analysis provided to allow replication by others? Yes

Is the statistical analysis and its interpretation appropriate?

Yes

Are the conclusions drawn adequately supported by the results presented in the review? Partly

If this is a Living Systematic Review, is the 'living' method appropriate and is the search schedule clearly defined and justified? ('Living Systematic Review' or a variation of this term should be included in the title.)

Yes

Competing Interests: No competing interests were disclosed.

**Reviewer Expertise:** Health systems research and development including Community Based Health Care

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 08 Oct 2024

# Moriasi Nyanchoka

Thank you for reviewing our article. Please find our responses to your comments below. **TITLE Comment:** The title of the review should be precise and consistent with the problem statement and objectives. The title reads: Examining the development and utilization of Community-Based Health Information Systems (CBHIS) in Africa: A Scoping Review. The problem statement and objectives focus on generation and utilization of CBHIS information, leaving out the development of CBHIS, reflected on the title. Authors to consider excluding "development from the title" and thus harmonize the title with problem statement, the objectives, results and discussion.

**Response:** Thank you for highlighting this. We have revised this. The title now reads "Community-Based Health Information Systems in Africa: A Scoping Review of Data Generation, Utilization, and Community Empowerment"

**SCOPE Comment:** The title states reflects the scope to be the review to be Africa, yet the work reviewed as reflected by results, appear to be Sub Saharan Africa, no single study from North Africa, reflected.

**Response:** Our search strategy aimed to capture studies across the entire African continent. However, we only obtained data from Egypt. This limited representation could be attributed to our inclusion criteria restricting articles to those published in English,

potentially excluding research from many non-English speaking North African countries. However, we acknowledge this in the limitation section. "Second, we did not consider non-English studies or grey literature, which could have resulted in the exclusion of articles from non-English-speaking African countries that may have been relevant to our review".

**ABSTRACT Comment:** The objective reads "This scoping review aims to comprehensively examine the use of CBHIS in African countries, focusing on data generation, pathways, utilization of CBHIS data, community accessibility to the data and use" The content does not reflect CBHIS pathways. There is need to highlight pathways, or exclude it from the objectives.

**Response:** We have incorporated additional content regarding CBHIS pathways in the "Synthesis of Results" subsection of the Results section. Figure 1 provides a visual representation of data flow.

**BACKGROUND Comment:** The problem statement is clear, stating why this study was necessary and what it aimed to contribute to the field. The section could end with a very brief statement of what is being reported in the article

**Response:** Thank you for highlighting this. We have added a brief statement on this. The section now reads "We aim to address the gap in these aspects and inform efforts to enhance the CHS, ultimately contributing to improved community health service coverage and tracking progress towards UHC and other health-related SDGs. To comprehensively understand CBHIS functionality and its potential impact on community health outcomes, we systematically examined four key aspects: data generation processes, data flow pathways, CBHIS data utilisation, and community access and utilisation of this data for empowerment."

**RESULTS Comment:** Going through the results section, which is well written but the cannot miss to notice the relative over-representation of articles from Kenya, East Africa, and could wonder about some bias in literature access. A statement to demonstrating that articles from the other regions of Africa had equal chance of being included, may be useful. **Response:** Thank you for highlighting this. We have incorporated a statement on this. The statement now reads "We synthesized 55 studies from 27 African countries, primarily Eastern and Southern Africa, followed by the Wester African region. Although the literature review considered publications from all African countries, Northern Africa was represented by only a single article from Egypt".

**DISCUSSION Comment:** Could be structured way, as follows: a) statement of principal findings by objectives; b) strengths and weaknesses of the review; c) contextualizing findings in context of similar reviews hence d) contribution to new knowledge **Response:** The structure of our discussion follows the PRISMA Scoping Review and reporting guidelines. It begins with a synthesis of the findings for each focal area: data generation, data pathways, data utilisation, and community accessibility and empowerment. The second to last paragraph addresses the limitations of the review, as per the PRISMA Scoping Review Guidelines.

**CONCLUSION Comment:** Is well written but could provide a brief summarize of the key findings, potential implications and the way forward

**Response:** We have revised this section to provide a summary of key findings and takeaways. We have discussed the implications of our findings in the discussion section, in the third last paragraph. The section now reads "CBHIS are transitioning from paper-based to electronic-based systems, aiming to improve data collection and pathway processes. However, several challenges, including fragmented reporting and limited capacity, impede the effective utilisation of CBHIS data. The successful adoption of CBHIS requires considering resource allocation and technology adoption within the context of the CHS and the broader health system. While efforts focus on the digitization of CBHIS and enhancing data generation, overlooking other factors may hinder effectiveness. Developing core competencies in data analysis and interpretation among data producers and users across all health system levels is crucial. , Community dialogue, while valuable for engagement, requires a shift from provider-driven/supply-side health promotion activities to communitydriven/demand-side interventions. Community-driven approaches can enhance community participation in CBHIS, accountability, empowerment, health activism, and tailoring interventions to local needs. The renewed commitment to PHC presents an opportunity to optimise the functionality of CBHIS and accelerate progress towards UHC and other healthrelated SDGs."

**Competing Interests:** No competing interests were disclosed.

Reviewer Report 18 September 2024

https://doi.org/10.21956/wellcomeopenres.25084.r95042

© **2024 Lucia D.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

# ? D'Ambruoso Lucia 🗓

- <sup>1</sup> Medical Sciences and Nutrition, University of Aberdeen, Aberdeen, UK
- <sup>2</sup> Medical Sciences and Nutrition, University of Aberdeen, Aberdeen, UK

#### Review

Examining the development and utilisation of Community-Based Health Information Systems (CBHIS) in Africa: A Scoping Review

# **OVERALL COMMENTS**

This paper presents a literature review on community-based health information systems in low-and middle-income countries. The analysis provides a granular account of the generative, processing, utilisation and accessibility pathways across a range of African nation states, appraises these findings, and derives recommendations. The paper is important, original and worthy of indexing. The following are some relatively minor comments, which I hope are of use to the authors to further strengthen the piece. N.B.: I am not a professional systematic reviewer and cannot comment on the methodology in anything other than general terms.

Overall, and considering the opening arguments raise the important issue of data infrastructure fragmentation, including through the mixed influence of development partners and donor institutions, it would be useful to understand the extent to which data generated by CBHISs are used (primarily at least) locally and/or domestically and/or regionally/internationally. If this is not reported, then that is also a finding!

Secondly, the political nature of data, may be worth considering - issues such as and including how to progress beyond 'naïve rationality' towards fuller views of community data and data use. This is raised explicitly in the paper but deserves more attention. What are the risks, as well as benefits for communities around CBHIS?

Thirdly, there are some powerful statements about data use (and the political nature of data) however it is not clear whether these are findings from the empirical work, this should be clarified (see specific comments, below).

Fourth, I was surprised Rwanda does not feature in the findings, considering the expansion of the CHW programme to NCDs.

Finally, the discussion section could be strengthened by 'unpacking' some key concepts (participation, empowerment, accountability etc) and arguments further, please see specific comments. On page 9 for example, the statement 'data pathways vary by country' could be usefully supplemented with additional detail. I would also encourage the authors to balance the 'inward' and 'outward gaze' in the recommendations. The systems and implementation challenges are not just local problems. It follows that it is unlikely that the challenges identified can resolved entirely by front line service providers, particularly CHWs. The Discussion would be usefully balanced with critical reflections on, and recommendations for, national, regional, and international levels.

# **SPECIFIC COMMENTS**

#### Methods

- 1. Throughout, minor comment data is a plural term.
- 2. A map showing where CBHIS are reported on might be a useful visual representation of the evidence base to consider including.
- 3. Page 5 data items and charting: the data extraction themes are great suggest numbering them to help readers navigate the content.
- 4. Page 5: the data extraction theme 'sources of CBHIS data' stated in the methods seems to correspond with 'Characteristics of sources of evidence', although it may correspond with 'general study characteristics'. All other extraction themes are clearly presented and aligned to the methods. The 'sources of CBHIS data' could benefit from being more clearly reported.

#### Results

- 1. Page 5, 'CBHIS data generation' and Table 2: it would be useful to understand whether and how development partner programmes and/or statutory services feature in types of community-based health information. Considering, who are these data (primarily) for.
- 2. Page 8: as per the comment, above, the statement 'CBHIS data is reportedly utilized by

various stakeholders, including government entities, NGOs, CBOs, funders, health facilities, community health committees, and healthcare professionals at different levels, to guide decision-making, policy decisions, staffing, commodities supplies, and resource allocation for community health programmes' would benefit from more fine-grained detail.

3. Page 8: while the term 'defaulters' is in popular use especially at front line service delivery level, international consensus is that it is stigmatising and 'people lost to follow up' is the preferred term. Suggest the authors acknowledge this in some way. Supporting sources include: Stop TB Language Matters'

 $https://www.stoptb.org/sites/default/files/languageguide\_forweb20131110.pdf\ , https://conf2022.theunion.org/wp-content/uploads/2022/05/stbp\_words-matter\_screen-ready.pdf$ 

4. Page 9, the theme 'empowerment' would benefit from a little development (space allowing). A notion of what is meant by empowerment together with some grounded consideration of the functionality of existing community dialogue/governance spaces. For instance, in South Africa, while clinic and health committees are well established local governance processes, there is evidence that they have limited functionality. See Hove et al.

https://doi.org/10.1080/16549716.2021.2004730<sup>(1)</sup>, Haricharan et al.

https://doi.org/10.1017/s1463423621000323<sup>(2)</sup> and

https://doi.org/10.1017/s146342362100027x<sup>(3)</sup>

5. Page 9, similarly the statement 'limited. Community empowerment in community dialogues tends towards health promotion activities' needs to be rationalised/evidenced/substantiated a little further.

#### Discussion

- 1. Page 9: the statement 'data pathways vary by country' could be usefully supplemented with additional detail the analysis provides a granular account of how the generative, processing, utilisation and accessibility pathways vary by several other factors. Similarly, the statement about multiple stakeholders use CBHIS data could provide a little more nuance. These statements, while useful to summarise the findings are very general.
- 2. Page 9: the statement on 'continued training for CHWs' is useful but also would benefit from more detail. Who should conduct this training? Statutory services? What are the opportunity costs of this? What is the role of development partners, here? The recommendations are good and grounded in the findings but could be usefully unpacked a little further.
- 3. Page 9: the finding on storage of health information in CHWs' residences is powerful, and should be presented in the Results section, and then followed up in the Discussion with a thorough critique. In South Africa, for example, the finding could be considered in terms of the relatively new POPIA legislation on data protection, and in terms of the struggle of CHWs; who are recognised/centralised in PHC policy and strategy but poorly supported and resourced at operational and implementation levels.
- 4. Page 9: the discussion point on the 'disproportionate emphasis on technical aspects of enabling data use' is great, and again could be unpacked a little further. There is evidence, again in South Africa, of district health information systems being costly, producing poor quality information with limited uptake and with 'upwards' data flows, missing opportunities

to realise the potential of data at local level. Some supporting references on DHIS: Hotchkiss et al. https://doi.org/10.1186/1472-6963-10-188 $^{(4)}$ ; Rouamba et al. https://doi.org/10.1038/s41598-020-73601-3 $^{(5)}$ ; Nshimyiryo et al. https://doi.org/10.1371/journal.pone.0235823 $^{(6)}$ 

- 5. More broadly on this point, some attention to the relationships documented in the literature on the connection of CBHIS to DHIS and HMIS would be useful.
- 6. Page 9: the statement 'We indicate that CBHIS data can be utilized in health system and service outcomes, health resource allocation, and administrative decisions' is not quite clear. Does this mean that, in theory, CBHIS can support data-informed decision making, but in practice there are many implementation challenges? The description of these challenges at the end of the passage is great and could usefully be supplemented with the upward accountability (and data) flows in many health systems, together with the fragmentation that can related at least in part to vertical donor and development partner programming.
- 7. Page 9: the core recommendations seem to focus 'internally' on improving the capabilities of CHWs for collection, analysis and reporting. This is in part founded and reasonable however, the recommendation could be strengthened by balancing it with an 'outward gaze', considering the national and subnational health systems challenges, as well as the supranational drivers as noted through these comments. How feasible are these recommendations, considering the implementation realities of PHC?
- 8. Page 9: the statement 'Negative organizational behaviour, such as the pressure senior health managers exert on providers to meet unrealistic service delivery targets, has contributed to false reporting and the denial of existing service delivery problems' is another powerful statement. However, it is unclear if this is a finding from the data, or from elsewhere. Please reference and relate to a supporting source, and if this is the data set, then present as a finding. Relates to the political nature of data, and may be worth considering issues such as and including how to progress beyond 'naïve rationality' towards a more rounded view of community data and data use, including an appreciation of the political nature of local, routine health data.
- 9. Page 10: the discussion on community participation, as above, may usefully refer to evidence on the existence of spaces and processes, but their limited functionality in practice, and consider the implications of this.

# Conclusion

1. Page 10: the concluding statement needs some unpacking and grounding I, which could be done in the Discussion section - 'Community involvement and empowerment are mainly achieved through community dialogue, but it should move beyond supply-side-driven health promotion activities and enhance demand-driven interventions to foster community accountability and tailor interventions to community needs'. As above, it would be useful to outline what is meant by community participation, empowerment and accountability. What community dialogue is and means, how it is done and the challenges it faces in practice and in reality.

End of review

#### References

- 1. Hove J, D'Ambruoso L, Kahn K, Witter S, et al.: Lessons from community participation in primary health care and water resource governance in South Africa: a narrative review. *Glob Health Action*. 2022; **15** (1): 2004730 PubMed Abstract | Publisher Full Text
- 2. Haricharan HJ, Stuttaford M, London L: Effective and meaningful participation or limited participation? A study of South African health committee legislation. *Prim Health Care Res Dev.* 2021; **22**: e28 PubMed Abstract | Publisher Full Text
- 3. Haricharan HJ, Stuttaford M, London L: The role of community participation in primary health care: practices of South African health committees. *Prim Health Care Res Dev.* 2021; **22**: e31 PubMed Abstract | Publisher Full Text
- 4. Hotchkiss DR, Aqil A, Lippeveld T, Mukooyo E: Evaluation of the Performance of Routine Information System Management (PRISM) framework: evidence from Uganda. *BMC Health Serv Res.* 2010; **10**: 188 PubMed Abstract | Publisher Full Text
- 5. Rouamba T, Samadoulougou S, Kirakoya-Samadoulougou F: Addressing challenges in routine health data reporting in Burkina Faso through Bayesian spatiotemporal prediction of weekly clinical malaria incidence. *Sci Rep.* 2020; **10** (1): 16568 PubMed Abstract | Publisher Full Text 6. Nshimyiryo A, Health management information system (HMIS) data verification: A case study in four districts in Rwanda. Reference Source

Are the rationale for, and objectives of, the Systematic Review clearly stated? Yes

Are sufficient details of the methods and analysis provided to allow replication by others? Yes

Is the statistical analysis and its interpretation appropriate? Not applicable

Are the conclusions drawn adequately supported by the results presented in the review? Partly

If this is a Living Systematic Review, is the 'living' method appropriate and is the search schedule clearly defined and justified? ('Living Systematic Review' or a variation of this term should be included in the title.)

Not applicable

**Competing Interests:** No competing interests were disclosed.

**Reviewer Expertise:** Health policy and systems research; participatory and qualitative methodologies; social policy; health inequalities

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 08 Oct 2024

# **Moriasi Nyanchoka**

Thank you for your review of our manuscript. Please find our responses to your comments below.

**METHODS Comment:** Throughout, minor comment – data is a plural term **Response:** We have corrected this throughout the methods section.

**Comment:** A map showing where CBHIS are reported on might be a useful visual representation of the evidence base to consider including

**Response:** We have included Figure 1 to provide a visual representation of data flow.

**Comment:** Page 5 – data items and charting: the data extraction themes are great suggest numbering them to help readers navigate the content

**Response:** We have incorporated numbering to guide readers. The section now reads "We extracted data on the following aspects: 1) general study characteristics; 2) sources of CBHIS data; 3) data generation; 4) pathways through which data were processed; 5) utilisation of CBHIS data; and 6) community accessibility to CBHIS data and empowerment."

**Comment**: Page 5: the data extraction theme 'sources of CBHIS data' stated in the methods seems to correspond with 'Characteristics of sources of evidence', although it may correspond with 'general study characteristics'. All other extraction themes are clearly presented and aligned to the methods. The 'sources of CBHIS data' could benefit from being more clearly reported.

**Response:** We have added a theme on this (a sub-heading) under the synthesis of results (page 8) to correspond to themes highlighted in the methods section. The section now reads "*CBHIS data sources*. Data collection tools and information collected used by CHWs vary by country and services provided at the community level (Table 2). CHWs commonly use standardized household registers during house visits to collect community data. Other data collection tools included simple wall charts, CHW Integrated Daily Activity Register/logbooks, individual health cards, and surveillance forms. The CHWs typically collect household data, including household demographics, sanitation, housing, health service utilization, and coverage".

**Comment:** Page 5, 'CBHIS data generation' and Table 2: it would be useful to understand whether and how development partner programmes and/or statutory services feature in types of community-based health information. Considering, who are these data (primarily) for. **Response:** We acknowledge that this is crucial. This crucial element is addressed in the results section under the heading "CBHIS data pathways" and "Utilization of CBHIS."

**Comment:** Page 8: as per the comment, above, the statement 'CBHIS data is reportedly utilized by various stakeholders, including government entities, NGOs, CBOs, funders, health facilities, community health committees, and healthcare professionals at different levels, to guide decision-making, policy decisions, staffing, commodities supplies, and resource allocation for community health programmes' would benefit from more finegrained detail. **Response:** We have revised this statement. The statement now reads "The CBHIS data serve multiple stakeholders in healthcare. Government entities use it for policy decisions, resource allocation, and workforce planning. NGOs and CBOs leverage these data

to design targeted interventions, whereas funders allocate resources based on these data. Health facilities rely on CBHIS data to inform service delivery strategies and optimise supply management. Community health committees leverage this data for advocacy and community engagement. Healthcare professionals incorporate CBHIS data into their decision-making processes to enhance service delivery. This diverse utilisation highlights the importance of improving community health outcomes across sectors."

**Comment:** Page 8: while the term 'defaulters' is in popular use especially at front line service delivery level, international consensus is that it is stigmatising and 'people lost to follow up' is the preferred term. Suggest the authors acknowledge this in some way. Supporting sources include: Stop TB Language Matters'

**Response:** Thank you for highlighting this point. We have corrected this. The statement now reads "Moreover, CBHIS data is utilized in various ways by CHWs and healthcare providers in Ethiopia, Kenya, South Africa, Malawi, and Zambia, such as tracking people lost to follow-up for health services and scheduling house visits"

**Comment:** Page 9, the theme 'empowerment' would benefit from a little development (space allowing). A notion of what is meant by empowerment together with some grounded consideration of the functionality of existing community dialogue/governance spaces. For instance, in South Africa, while clinic and health committees are well established local governance processes, there is evidence that they have limited functionality.

**Response:** We have added a description of community empowerment to improve clarity in these subsections. The statement now reads "Community empowerment extends beyond the involvement, participation, or engagement of communities. It encompasses enhancing individual self-care and lifestyle choices; addressing sociopolitical power dynamics; supporting community-driven priorities, and implementing strategies to improve health and reduce inequities"

**Comment:** Page 9, similarly the statement 'limited. Community empowerment in community dialogues tends towards health promotion activities' needs to be rationalised/evidenced/substantiated a little further.

**Response:** We have revised this. The statement now reads "Community empowerment in these community dialogues tends towards provider-led health promotion activities rather than community-driven/demand-driven interventions that foster community accountability and tailor interventions to community needs."

**DISCUSSION Comment:** Page 9: the statement 'data pathways vary by country' could be usefully supplemented with additional detail – the analysis provides a granular account of how the generative, processing, utilisation and accessibility pathways vary by several other factors. Similarly, the statement about multiple stakeholders use CBHIS data could provide a little more nuance. These statements, while useful to summarise the findings are very general. **Response:** We have incorporated Figure 1. Figure 1 illustrates the data flow and is referenced in the "CBHIS data pathways" subsection of the results

**Comment:** Page 9: the statement on 'continued training for CHWs' is useful but also would benefit from more detail. Who should conduct this training? Statutory services? What are the opportunity costs of this? What is the role of development partners, here? The

recommendations are good and grounded in the findings but could be usefully unpacked a little further.

**Response:** We have revised this statement. The statement now reads "To address these challenges, ongoing training of CHWs by Ministries of Health and partners is crucial. This training should be comprehensive and cover various aspects, including basic Information Communication Technology (ICT) skills, digital tools usage, and data analysis. Moreover, targeted training is crucial for timely, accurate, and complete data entry into eCBHIS."

**Comment:** Page 9: the finding on storage of health information in CHWs' residences is powerful, and should be presented in the Results section, and then followed up in the Discussion with a thorough critique. In South Africa, for example, the finding could be considered in terms of the relatively new POPIA legislation on data protection, and in terms of the struggle of CHWs; who are recognised/centralised in PHC policy and strategy but poorly supported and resourced at operational and implementation levels.

**Response:** We have added this in the results section, under "data pathways". The added statement reads "The utilisation of paper-based tools introduces additional obstacles, including stockouts of these tools and insufficient storage capacities. CHWs frequently resort to storing data in their residences. This practice not only increases the risk of data loss but also compromises the confidentiality of sensitive information".

**Comment:** Page 9: the discussion point on the 'disproportionate emphasis on technical aspects of enabling data use' is great, and again could be unpacked a little further. There is evidence, again in South Africa, of district health information systems being costly, producing poor quality information with limited uptake and with 'upwards' data flows, missing opportunities to realise the potential of data at local level. Some supporting references on DHIS: Hotchkiss et al.

**Response:** We have revised this statement. We further expound on this in the next paragraph. This statement now reads "While efforts to enhance CBHIS have primarily focused on digitization and improving data collection and quality, particularly at the community level, there is a disproportionate emphasis on the technical aspects of enabling data use, overlooking other factors may hinder its effectiveness. Failure to consider critical elements, such as data analysis and interpretation capabilities across various levels of the health system, may impede the overall effectiveness".

**Comment:** Page 9: the statement 'We indicate that CBHIS data can be utilized in health system and service outcomes, health resource allocation, and administrative decisions' is not quite clear. Does this mean that, in theory, CBHIS can support data-informed decision making, but in practice there are many implementation challenges? The description of these challenges at the end of the passage is great and could usefully be supplemented with the upward accountability (and data) flows in many health systems, together with the fragmentation that can related at least in part to vertical donor and development partner programming.

**Response:** We have revised this statement. The statement now reads "We indicate that CBHIS data can inform health system outcomes and resource allocation and support administrative decision-making processes. Although CBHIS data offer valuable insights, empirical evidence demonstrating its impact on data-driven decision-making remains limited. In practice, several challenges impede the effective utilization of CBHIS data,

including fragmented reporting systems, inadequate coordination between data producers and users, varied decentralization of community health decision-making, and limited capacity to use data effectively"

**Comment:** Page 9: the statement 'Negative organizational behaviour, such as the pressure senior health managers exert on providers to meet unrealistic service delivery targets, has contributed to false reporting and the denial of existing service delivery problems' is another powerful statement. However, it is unclear if this is a finding from the data, or from elsewhere. Please reference and relate to a supporting source, and if this is the data set, then present as a finding. Relates to the political nature of data, and may be worth considering issues such as and including how to progress beyond 'naïve rationality' towards a more rounded view of community data and data use, including an appreciation of the political nature of local, routine health data.

**Response:** We have cited a source to support this statement and the following claim. While not directly stemming from our review findings, the referenced article highlights additional complexities in institutional information-use culture. The statement now reads "Negative organizational behaviour, such as the pressure senior health managers exert on providers to meet unrealistic service delivery targets, has contributed to false reporting and the denial of existing service delivery problems."

**CONCLUSION Comment:** Page 10: the concluding statement needs some unpacking and grounding I, which could be done in the Discussion section - 'Community involvement and empowerment are mainly achieved through community dialogue, but it should move beyond supply-side-driven health promotion activities and enhance demand-driven interventions to foster community accountability and tailor interventions to community needs'. As above, it would be useful to outline what is meant by community participation, empowerment and accountability. What community dialogue is and means, how it is done and the challenges it faces in practice and in reality.

Response: We have further revised this section. A new section has been added to the results, under the theme 'Accessibility of CBHIS data and community empowerment', to clarify the concept of community empowerment in the context of this study. The section now reads "CBHIS are transitioning from paper-based to electronic-based systems, aiming to improve data collection and pathway processes. However, several challenges, including fragmented reporting and limited capacity, impede the effective utilisation of CBHIS data. The successful adoption of CBHIS requires considering resource allocation and technology adoption within the context of the CHS and the broader health system. While efforts focus on the digitization of CBHIS and enhancing data generation, overlooking other factors may hinder effectiveness. Developing core competencies in data analysis and interpretation among data producers and users across all health system levels is crucial. , Community dialogue, while valuable for engagement, requires a shift from provider-driven/supply-side health promotion activities to community-driven/demand-side interventions. Communitydriven approaches can enhance community participation in CBHIS, accountability, empowerment, health activism, and tailoring interventions to local needs. The renewed commitment to PHC presents an opportunity to optimise the functionality of CBHIS and accelerate progress towards UHC and other health-related SDGs."

**Competing Interests:** No competing interests were disclosed.

Reviewer Report 15 September 2024

https://doi.org/10.21956/wellcomeopenres.25084.r95036

© **2024 Karuga R.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



# **Robinson Karuga**

- <sup>1</sup> LVCT Health, Nairobi, Kenya
- <sup>2</sup> LVCT Health, Nairobi, Kenya

This is an interesting and timely article. I have a minor comment:

This last sentence in the results section seems misplaced and is hanging. Clarify whether it
is supported by literature or whether this is the authors' opinion " Community
empowerment in community dialogues tends towards health promotion activities."

Are the rationale for, and objectives of, the Systematic Review clearly stated? Yes

Are sufficient details of the methods and analysis provided to allow replication by others? Yes

Is the statistical analysis and its interpretation appropriate?

Not applicable

Are the conclusions drawn adequately supported by the results presented in the review?  $\ensuremath{\text{Yes}}$ 

If this is a Living Systematic Review, is the 'living' method appropriate and is the search schedule clearly defined and justified? ('Living Systematic Review' or a variation of this term should be included in the title.)

Not applicable

Competing Interests: No competing interests were disclosed.

**Reviewer Expertise:** Health Systems Research

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 16 Sep 2024

# Moriasi Nyanchoka

Thank you for reviewing our article. Please find our response to your comment below.

**Comment:** This last sentence in the results section seems misplaced and is hanging. Clarify whether it is supported by literature or whether this is the authors' opinion " Community empowerment in community dialogues tends towards health promotion activities."

**Response:** Thank you for pointing this out. This finding is supported by literature. We have added in-text citations.

Competing Interests: No competing interests were disclosed.

Reviewer Report 06 September 2024

https://doi.org/10.21956/wellcomeopenres.25084.r95038

© 2024 Maseabata R. This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



# Ramathebane Maseabata 🗓



- <sup>1</sup> Department of Pharmacy, National University of Lesotho, Maseru, Lesotho
- <sup>2</sup> Department of Pharmacy, National University of Lesotho, Maseru, Lesotho

I reviewed this article, and here are my views about it. The article is rewritten, and there is an incorrect full-out of DHIS2, which is supposed to be the District Health Information System, not the Demographic Health Information System.

Apart from this, I am happy with the article, and I recommend it for indexing.

Are the rationale for, and objectives of, the Systematic Review clearly stated?

Are sufficient details of the methods and analysis provided to allow replication by others?

Is the statistical analysis and its interpretation appropriate?

Yes

Are the conclusions drawn adequately supported by the results presented in the review? Yes

If this is a Living Systematic Review, is the 'living' method appropriate and is the search

schedule clearly defined and justified? ('Living Systematic Review' or a variation of this term should be included in the title.)

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Pharmacy Practice

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 16 Sep 2024

# Moriasi Nyanchoka

Thank you for reviewing our article. Please find our response to your comment below.

**Comment:** I reviewed this article, and here are my views about it. The article is rewritten, and there is an incorrect full-out of DHIS2, which is supposed to be the District Health Information System, not the Demographic Health Information System.

**Response:** We have corrected it. The sentence now reads "These report forms their respective catchment areas are then submitted to the supervisors, who aggregate the data in paper-based standardized MoH forms that are in turn submitted to the sub-national office (sub-county, county, district, or regional) for digital entry into the web-based national health information systems, the District Health Information System (DHIS2)".

**Competing Interests:** No competing interests were disclosed.